

MAHINDRA mpagy XYV UTILITY VEHICLES



Makindra mPACY XTV Utility Vehicles are designed to Haul More, Yow More and Go More.

Built from the ground up in Batesville, AR, the Mahindra mPACT® XTV series sets the standard for handling hard work around the farm, property or anywhere else you need to take it. Mahindra offers world-class, off-road utility vehicles with unparalleled strength, power and performance to help you work smarter and play harder.

The XTV lineup leads the utility vehicle category for cargo box capacity, towing capacity and ground clearance. These unique vehicles have spacious, comfortable seating and are loaded with standard features including electric power cargo box lift, 2" front and rear receiver hitches, black aluminum wheels and front bumper. Best of all, these vehicles include an industry-leading 3-Year Powertrain warranty. A full line of accessories is available for customizing these vehicles to fit your style and needs.



HAUL MORE, TOW MORE, GO MORE.

Haul More.

- Haul up to 1,200 lbs.
- Up to 34 cu ft of cargo volume (L models)
- Electric power cargo box lift included as standard equipment
- Industry-exclusive cargo box sides that easily convert into a flatbed (models with Flexhauler cargo box)
- Built-in storage compartments
- 10.25" auto-style rotors and oversized calipers for stopping under any load
- Pre-load adjustable shocks with additional mounting points for optimal ride quality with any load

Yow more.

- Tow up to 2,100 lbs.
- Delivers max power to the ground with 36:1 gearbox ratio
- 10.25" auto-style rotors and oversized calipers for stopping under any load
- 2" standard front and rear receiver hitches included as standard equipment

Go More.

- 12" of ground clearance
- True 4WD auto-lock front differential and push-button rear differential lock
- 27" tires on 14" aluminum wheels
- Independent suspension front and rear with 10" of wheel travel



The Mahindra mPACY® XYV Lineup

"S" Series

XTV 750 S Red, Green or Camo (gas)
XTV 750 S Red, Green or Camo with Flexhauler
cargo box (gas)
XTV 1000 S Red, Green or Camo (diesel)

XTV 1000 S Red or Camo with Flexhauler cargo box (diesel)

Standard features:

- 750 cc, fuel-injected Kohler gas engine or 1000 cc,
 3-cylinder Kohler diesel engine
- Up to 35 MPH
- Electric power cargo box lift
- 2" front and rear receiver hitches
- 6-ply, 27" ATV tires on 14" aluminum wheels
- 3-passenger seating plus cargo
- Haul More Up to 1,200 lbs.
 cargo box capacity*
- Tow More Up to 2,100 lb. towing capacity
- Go More Up to 12" of ground clearance
- Available in Mahindra red, green or RealTree[®] AP camouflage color patterns
- *Models with Flexhauler cargo box have 50% more cargo volume (23 cu. ft.) than the standard cargo box. See more Flexhauler details on page 10.







"C" Series

XTV 750 C Red, Green or Camo (gas) XTV 1000 C Red, Green or Camo (diesel)

Standard features:

- 750 cc, fuel-injected Kohler gas engine or 1000 cc, 3-cylinder Kohler diesel engine
- Up to 33 MPH
- Electric power cargo box lift
- 2" front and rear receiver hitches
- 6-ply, 27" ATV tires on 14" aluminum wheels
- 6-passenger seating plus cargo
- Haul More Up to 1,000 lbs. cargo box capacity
- Tow More Up to 2,100 lb. towing capacity
- Go More Up to 12" of ground clearance
- Available in Mahindra red, green or RealTree[®] AP camouflage color patterns



Camo:

Camouflage models utilize
 RealTree® AP, an all-purpose pattern that blends with a variety of surroundings

Mahindra
Utility Vehicles





"L" Series

XTV 750 L Red (gas) XTV 1000 L Red (diesel)

Standard features:

- 750 cc, fuel-injected Kohler gas engine or 1000 cc, 3-cylinder Kohler diesel engine
- Up to 33 MPH
- Industry-exclusive cargo box design that easily converts into a flatbed
- Up to 34 cu. ft. of cargo volume
- Additional side storage compartments
- 2" front and rear receiver hitches
- 6-ply, 27" ATV tires on 14" aluminum wheels
- 3-passenger seating plus cargo
- Haul More Up to 1,200 lbs. cargo capacity
- Tow More Up to 2,100 lb. towing capacity
- Go More Up to 12" of ground clearance
- Available in Mahindra red color



MahindraUtility Vehicles



Flexhauler Cargo Box

XTV 750 S Red, Green or Camo with Flexhauler cargo box (gas) XTV 1000 S Red or Camo with Flexhauler cargo box (diesel)

Standard features:

 750 cc, fuel-injected Kohler gas engine or 1000 cc, 3-cylinder Kohler diesel engine


- Up to 35 MPH
- Electric power cargo box lift
- Fold-down cargo box that easily converts to a flatbed
- 2" front and rear receiver hitches
- 6-ply, 27" ATV tires on 14" aluminum wheels
- 3-passenger seating plus cargo
- Haul More Up to 1,200 lbs. with 23 cu. ft. of volume - 50% more than standard cargo box
- Tow More Up to 2,100 lb. towing capacity
- Go More Up to 12" of ground clearance
- Available in Mahindra red, green or RealTree[®] AP camouflage color patterns



Mahindra
Utility Vehicles

Makindra mPACY® XTV Accessories

Mahindra offers over 40 accessories to customize your XTV to meet your specific needs.



Makindra XTV Accessories



Thermoplastic Roof

 Press-and-lock clamp system allows for each installation and removal

793100000 (Single-row Models) 793105210 (Crew Models)



Aluminum Roof

 Made from solid 120 aluminum to enhance durability

793103110 (Single-row Models) 793102610 (Crew Models)



Roof Rack

 Steel rack for aluminum roof provides additional storage

793104100



Clear Back Panel

 Large Lexan opening allows for clear and unobstructed visibility

793105410



Side View Mirrors

 Mirrors fold back to fit in tight situations; adjustable vertically and horizontally

693356010



Rear View Mirrors

• Universal bolt-on rear view mirror for rear visibility

693355000



Lexan Front Windshield

 1/4" thick Lexan material utilizes a press-and-lock clamp system for easy installation and removal

793100210



Fold-Down Lexan Front Windshield

 1/4" thick Lexan material folds down for easy conversion to an open operator's station

793104000



D.O.T. Glass Windshield with Manual Wiper

 High-quality glass windshield with manual wiper and black power coat finish

793103000

Makindra XTV Accessories



Tilt Windshield

• Tempered safety glass windshield tilts for ventilation

793601160



Rear Tubular Bumper

- Powder-coated, solid steel bumper offers extended durability
- Only compatible with Standard Cargo Box

793100300



Rear Rack

- Allows for extra cargo capacity in addition to the cargo box
- Incompatible with Clear Back Panel **793101600**



Nerf Bar Assembly (Both Sides)

• Provides additional protection for sides of the vehicles

793100800



CV Joint Protector Assembly (Pair)

 Provides enhanced protection for front drive shaft boots

793101100



Deluxe Steel Cab

• Includes high-quality glass fold-down DOT windshield

793108500 (Single-row Models) 793109300 (Crew Models)



Mahindra XTV Accessories



Heater

High-output heat to keep operator's station warm

793505200 (1000 cc Models)



Tool Box (Standard Cargo Box Only)

 Steel tool box sits in bed for additional storage

793104710



Underseat Storage (Crew and Longbed Models)

 Provides additional storage underneath the seat

793105100



Bed Mat

 Heavy-duty rubber mat provides additional protection for the bed

793104800 (Single-row & Crew Models) 793104900 (Longbed Models)



Superwinch 4,500 lb.

• 4,500 lb. line pull rating. 55-feet 1/4 synthetic wire rope with all steel gears. Limited life time warranty

693601800



Superwinch 4,500 lb.

• 4,500 lb. line pull rating. 55-feet 1/4 steel wire rope with all steel gears. Limited life time warranty

693600300



2-Gun Floor Mounted Gun Rack

 Heavy-duty, over-molded butt section to secure the stock of up to two firearms (shotguns or rifles)

600100000



4-Gun Floor Mounted Gun Rack

 Heavy-duty, over-molded butt section to secure the stock of up to four firearms (shotguns or rifles)

600110000



2-Gun Above-Head Gun Rack

 Holds two guns securely to the inside roof area of your UTV

800300100


Mahindra XTV Accessories



2-Gun Power-Ride Gun Rack

 Mounts snugly at the back of the UTV cab, and holds two guns in protective, super-soft cradles with Velcro retainer straps

600140000



UTV Disc Plow

 43 lb. plow capable of 3-7 mph in both forward and reverse, making creating food plots a one-man job

088905100



10-Speaker Soundbar

 A Bluetooth-enabled soundbar with a high-performance speaker array [10 speakers] and titanium dome tweeters for a rich and dynamic full-range performance

793201800



Power Steering Kit (Diesel)

Diesel models only, offers power assist steering

786202600



6-Speaker Soundbar

 A Bluetooth-enabled soundbar with a high-performance speaker array (6 speakers) and titanium dome tweeters for a rich and dynamic full-range performance

793201900



Light Kit 13.5 Inch

 120-watt LED light bar which includes wiring harness with relay, ON/OFF switch and can accommodate a vast array of mounting applications

693376010



Light Kits 20", 30", 40"

 120-watt LED light bar includes a wiring harness with relay, ON/OFF switch and can be mounted a variety of ways.

693376110 - 20" 693376210 - 30" 693376310 - 40"



72" Snow Blade

• 72" high curved blade with rear reinforcements

BERXTVBL72



Specification Charts - XTV 750 Models

MODEL	Mahindra mPACT XTV 750 S Red, Green or Camo	Mahindra mPACT XTV 750 S Red, Green or Camo with Flexhauler Cargo Box	Mahindra mPACT XTV 750 C Red, Green or Camo	Mahindra mPACT XTV 750 L Red			
ENGINE							
Туре	Kohler Fuel Injected Gas	Kohler Fuel Injected Gas	Kohler Fuel Injected Gas	Kohler Fuel Injected Gas			
Displacement	750cc	750cc	750cc	750cc			
Oil Type	SAE15-40W	SAE15-40W	SAE15-40W	SAE15-40W			
Fuel Tank Capacity	9 Gallon	9 Gallon	9 Gallon	9 Gallon			
DRIVE SYSTEM							
Transmission	Continuously Variable Transmission (CVT)	Continuously Variable Transmission (CVT)	Continuously Variable Transmission (CVT)	Continuously Variable Transmission (CVT)			
Range	High-Low-N-Reverse-Park	High-Low-N-Reverse-Park	High-Low-N-Reverse-Park	High-Low-N-Reverse-Park			
Front Differential	Auto-Lock	Auto-Lock	Auto-Lock	Auto-Lock			
Rear Differential	Push-Button Lock	Push-Button Lock	Push-Button Lock	Push-Button Lock			
Speed	Up to 35 mph	Up to 33 mph	Up to 33 mph	Up to 33 mph			
STEERING							
Туре	Rack and Pinion	Rack and Pinion	Rack and Pinion	Rack and Pinion			
BRAKES							
Туре	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc			
SUSPENSION							
Front	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm			
Rear	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm			
Travel	10"	10"	10"	10"			
CARGO BOX							
Dimensions	36" x 56.5" x 13"	44" x 64" x 14"	36" x 56.5" x 13"	70" x 60" x 14"			
Capacity	1,200 lbs	1,200 lbs	1,000 lbs	1,200 lbs			
MEASUREMENTS							
Length	113"	113"	149"	149"			
Width	63"	63"	63"	63"			
Height	78"	78"	78"	78"			
Wheelbase	77"	77"	111"	111"			
Clearance	12"	12"	12"	12"			
Weight	1,571 lbs	1,571 lbs	1,834 lbs	1,725 lbs			
Towing Capacity	2,100 lbs	2,100 lbs	2,100 lbs	2,100 lbs			
TIRES							
Front	27x10x14 - 6 Ply	27x10x14 - 6 Ply	27x10x14 - 6 Ply	27x10x14 - 6 Ply			
Rear	27x12x14 - 6 Ply	27x12x14 - 6 Ply	27x12x14 - 6 Ply	27x12x14 - 6 Ply			

STANDARD EQUIPMENT

Front Bumper Electric Power Cargo Box Lift* 2" Front and Rear Receiver Hitch Black Aluminum Wheels

Models with Flexhauler cargo box feature fold-down sides that easily converts to a flat bed.

Specifications and design subject to change without notice.

^{*} Not included on L models. L model cargo box is fixed and does not dump, but has fold-down sides.

Specification Charts - XTV 1000 Models

MODEL	Mahindra mPACT XTV 1000 S Red, Green or Camo	Mahindra mPACT XTV 1000 S Red or Camo with Flexhauler Cargo Box	Mahindra mPACT XTV 1000 C Red, Green or Camo	Mahindra mPACT XTV 1000 L Red
ENGINE				
Туре	Kohler Diesel	Kohler Diesel	Kohler Diesel	Kohler Diesel
Displacement	1000cc	1000cc	1000cc	1000cc
Oil Type	SAE15-40W	SAE15-40W	SAE15-40W	SAE15-40W
Fuel Tank Capacity	9 Gallon	9 Gallon	9 Gallon	9 Gallon
DRIVE SYSTEM				
Transmission	Continuously Variable Transmission (CVT)	Continuously Variable Transmission (CVT)	Continuously Variable Transmission (CVT)	Continuously Variable Transmission (CVT)
Range	High-Low-N-Reverse-Park	High-Low-N-Reverse-Park	High-Low-N-Reverse-Park	High-Low-N-Reverse-Park
Front Differential	Auto-Lock	Auto-Lock	Auto-Lock	Auto-Lock
Rear Differential	Push-Button Lock	Push-Button Lock	Push-Button Lock	Push-Button Lock
Speed	Up to 35 mph	Up to 33 mph	Up to 33 mph	Up to 33 mph
STEERING				
Туре	Rack and Pinion	Rack and Pinion	Rack and Pinion	Rack and Pinion
BRAKES				
Туре	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc
SUSPENSION				
Front	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm
Rear	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm
Travel	10"	10"	10"	10"
CARGO BOX				
Dimensions	36" x 56.5" x 13"	44" x 64" x 14"	36" x 56.5" x 13"	70" x 60" x 14"
Capacity	1,200 lbs	1,200 lbs	1,000 lbs	1,200 lbs
MEASUREMENTS				
Length	113"	113"	149"	149"
Width	63"	63"	63"	63"
Height	78"	78"	78"	78"
Wheelbase	77"	77"	111"	111"
Clearance	12"	12"	12"	12"
Weight	1,695 lbs	1,695 lbs	1,952 lbs	1,843 lbs
Towing Capacity	2,100 lbs	2,100 lbs	2,100 lbs	2,100 lbs
TIRES				
Front	27x10x14 - 6 Ply	27x10x14 - 6 Ply	27x10x14 - 6 Ply	27x10x14 - 6 Ply
Rear	27x12x14 - 6 Ply	27x12x14 - 6 Ply	27x12x14 - 6 Ply	27x12x14 - 6 Ply

STANDARD EQUIPMENT

Front Bumper Electric Power Cargo Box Lift* 2" Front and Rear Receiver Hitch Black Aluminum Wheels

Models with Flexhauler cargo box feature fold-down sides that easily converts to a flat bed.

* Not included on L models. L model cargo box is fixed and does not dump, but has fold-down sides.

Specifications and design subject to change without notice.



The Makindra mPACT® XTV Utility Vehicle is the Smart Choice.

- ✓ Industry-Leading Cargo Box Capacity
- ✓ Industry-Leading Towing Capacity
- ✓ Industry-Leading Ground Clearance
- Industry-Leading, 3-Year Powertrain Warranty
- ✓ Unique, Fold-Down Cargo Boxes on Select Models

For Makindra XTV product information, visit www.MakindraXTV.com.





